



Report Issue Date
12/15/2021

Sample ID: D8PR0121 / D8 Preroll
Laboratory Number: ATL-3085

Extraction Technician: HP
Analytical Chemist: HP

Sample Description/Size: D8 Preroll

Unit Weight: 0.98g



Hernan Prieto

CANNABINOID PROFILE

Order Date
12/1/2021

Analysis Date
12/10/2021

Cannabinoids (HPLC)

Results Cannabinoid (%)

Test	LOD (mg/g)	mg/preroll	%	0	20	40	60	80	100
Cannabidiarin (CBDV)	<0.5	0	0						
Cannabidiolic Acid (CBD-A)	<0.4	1.66	0.17						
Cannabigerolic Acid (CBG-A)	<0.4	94.12	9.58						
Cannabigerol (CBG)	<0.5	4.92	0.50						
Cannabidiol (CBD)	<0.5	1.23	0.13						
Cannabinol (CBN)	<0.5	0	0						
Delta 9-Tetrahydrocannabinol (THC)	<0.5	1.05	0.11						
Delta 8-Tetrahydrocannabinol	<0.5	72.14	7.34						
Delta 10-Tetrahydrocannabinol (THC)	<0.5	0	0						
Cannabichromene(CBC)	<0.5	1.50	0.15						
Delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.4	0	0						

Cannabinoids Total

Test	mg/preroll	%	0	20	40	60	80	100
Max Active THC	1.05	0.11						
Max Active CBD	99.04	10.08						
T.Active Cannabinoids	176.62	17.97						
Total Cannabinoids	189.94	19.32						

Analysis Method ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D = Not Detected



Report Issue Date
5/6/2022

Sample ID: 50522
Laboratory Number: ATL-6681

Extraction Technician: HP
Analytical Chemist: HP

Sample Description/Size: HHC Preroll

Hernan Prieto

Unit Weight: 1.5130g



CANNABINOID PROFILE

Order Date
5/4/2022

Analysis Date
5/5/2022

Cannabinoids (HPLC)

Results

Cannabinoid (%)

Test	LOQ (mg/g)	mg/preroll	%	0	20	40	60	80	100
9R- Hexahydrocannabinol (HHC)	<0.01	232.73	15.38	████████████████████					
9S- Hexahydrocannabinol (HHC)	<0.01	420.28	27.78	████████████████████					
Cannabidiolic Acid (CBD-A)	<0.05	13.08	0.86	██					
Cannabigerolic Acid (CBG-A)	<0.04	59.66	3.94	██					
Cannabigerol (CBG)	<0.04	2.21	0.15	██					
Cannabidiol (CBD)	<0.03	4.69	0.31	██					
Delta 9-Tetrahydrocannabinol (THC)	<0.02	0	0						
Delta 8-Tetrahydrocannabinol	<0.03	52.20	3.45	██					
Cannabichromenic Acid (CBC-A)	<0.01	2.06	0.14	██					
Cannabichromene(CBC)	<0.05	0	0						
Delta-9-Tetrahydrocannabinolic Acid (as THC)	<0.02	0	0						

Cannabinoids Total

Test	mg/preroll	%	0	20	40	60	80	100	
Max Active THC	0	0							
Max Active CBD	17.77	1.17	██						
T.Active Cannabinoids	786.91	52.01	████████████████████						
Total Cannabinoids	797.32	52.01	████████████████████						

Analysis Method ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected T:Trace Cannabinoids detected but are below limit of quantification.



Report Issue Date
10/6/2021

Sample ID: THCOPreroll
Laboratory Number: ATL-1655

Extraction Technician: HP
Analytical Chemist: HP

Sample Description/Size: THCO Pre-Roll / 1g
Net Weight: 1.02g per preroll



Hernan Prieto

CANNABINOID PROFILE

Order Date: 9/24/2021
Analysis Date: 10/5/2021

Cannabinoids (HPLC)

Results Cannabinoid (%)

Test	LOD (mg/g)	mg/Preroll	%	0	20	40	60	80	100
Cannabidivarin (CBDV)	<0.5	0	0						
Cannabidiolic Acid (as CBD)	<0.4	2.6	0.25						
Cannabigerolic Acid (as CBG)	<0.4	98.1	9.58						
Cannabigerol (CBG)	<0.5	4.4	0.43						
Cannabidiol (CBD)	<0.5	1.5	0.14						
Cannabinol (CBN)	<0.5	0	0						
Delta 9-Tetrahydrocannabinol (THC)	<0.5	1.2	0.12						
Delta 8-THC-O Acetate (Approximation)	<0.5	65.0	6.34						
Delta 8-Tetrahydrocannabinol	<0.5	0	0						
Cannabichromene(CBC)	<0.5	2.2	0.22						
Delta-9-Tetrahydrocannabinolic Acid (as THC)	<0.4	0.6	0.06						

Cannabinoids Total

Test	mg/Preroll	%	0	20	40	60	80	100
Max Active THC	2.9	0.18						
Max Active CBD	102.6	10.01						
T.Active Cannabinoids	222.6	21.73						
Total Cannabinoids	236.6	23.09						

Analysis Method ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D = Not Detected