

CERTIFICATE OF ANALYSIS



Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: TOR-PUL-D-6.0G-SBB
Laboratory Number: ATL-22233

Report Issue Date: 7/1/2024
Order Date: 6/28/2024
Analysis Date: 7/1/2024

Sample Description:
6G Torch Pulse Live Resin THC-A -
Strawberry Banana Sativa



Unit Weight: 6g / Disposable

Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%	Analyte	LOQ (mg/g)	Results mg/disposable	%	Analyte	LOQ (mg/g)	Results mg/	%
CBDV-A	<0.011	N/D	N/D	9S-HHC	<0.009	305.520	5.092	1S-H4CBD	<0.012	N/D	N/D
CBDV	<0.011	N/D	N/D	9R-HHC	<0.013	733.200	12.220	1R-H4CBD	<0.025	N/D	N/D
CBD-A	<0.008	N/D	N/D	CBC	<0.009	N/D	N/D	D9-THCB	<0.004	N/D	N/D
CBG-A	<0.008	N/D	N/D	CBC-A	<0.005	N/D	N/D	D8-THCB	<0.007	N/D	N/D
CBG	<0.007	N/D	N/D	THC-A	<0.005	660.720	11.012				
CBD	<0.014	N/D	N/D	D9-THCH	<0.006	N/D	N/D				
THCV	<0.008	N/D	N/D	D8-THCH	<0.009	N/D	N/D				
D8-THCV	<0.004	N/D	N/D	D9-THCP	<0.009	148.020	2.467				
THCV-A	<0.005	N/D	N/D	D8-THCP	<0.010	N/D	N/D				
CBN	<0.011	N/D	N/D	D8-THCO	<0.007	N/D	N/D				
D9-THC	<0.014	N/D	N/D	D9-THCO	<0.005	N/D	N/D				
D8-THC	<0.005	2831.880	47.198	9S-HHCP	<0.010	N/D	N/D				
9S-D10-THC	<0.005	N/D	N/D	9R-HHCP	<0.010	N/D	N/D				
9R-D10-THC	<0.002	N/D	N/D	11-OH-D8-THC	<0.005	N/D	N/D				

Max Active THC mg/disposable %
579.45 9.66

Max Active CBD mg/disposable %
N/D N/D

Total Active Cannabinoids mg/disposable %
4598.07 76.63

Total Cannabinoids mg/disposable %
4679.34 77.99

NOTES:

Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD)
Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC)
9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC) 9S-Hexahydrocannabinol (9S-HHC) 9R-Hexahydrocannabinol (9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene (CBC) Cannabichromene (CBC) Tetrahydrocannabinol (THC) Delta-9-Tetrahydrocannabinol (D9-THC) Delta-8-Tetrahydrocannabinol (D8-THC) Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabinol (THC)



Document ID: ATL-225A Revision: 03 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

CERTIFICATE OF ANALYSIS



Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: TOR-PUL-D-6.0G-BBC
Laboratory Number: ATL-22235

Report Issue Date: 7/1/2024
Order Date: 6/28/2024
Analysis Date: 7/1/2024

Sample Description:

6G Torch Pulse Live Resin THC-A - Blue Berry Cookies Indica

Unit Weight: 6g / Disposable



Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	2796.600	46.610
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	307.740	5.129
9R-HHC	<0.013	739.140	12.319
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	674.640	11.244
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	145.920	2.432
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	N/D	N/D
9R-HHCP	<0.010	N/D	N/D
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

Max Active THC	mg/disposable	%
	591.66	9.86

Total Active Cannabinoids	mg/disposable	%
	4581.06	76.35

Max Active CBD	mg/disposable	%
	N/D	N/D

Total Cannabinoids	mg/disposable	%
	4664.04	77.73

NOTES:

Cannabidiol(CBD) Cannabidiolol(CBDA) Cannabigerolol(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabinol(THC) Tetrahydrocannabinolol(THCA) Cannabidiol(CBD) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinololol(THCA) Delta-9-Tetrahydrocannabinololol(D9-THCP) Delta-8-Tetrahydrocannabinololol(O-Acetate) (D8-THCO) Tetrahydrocannabinolololol(THCH)

Document ID: ATL-225A Revision: 03 Effective Date:10/3/2023
Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



(954) 515 - 0200

CERTIFICATE OF ANALYSIS



Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: TOR-PUL-D-6.0G-GVG
Laboratory Number: ATL-22236

Report Issue Date: 7/1/2024
Order Date: 6/28/2024
Analysis Date: 7/1/2024

Sample Description:

6G Torch Pulse Live Resin THC-A - Guava
Gelato Sativa



Unit Weight: 6g / Disposable

Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	2852.040	47.534
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	308.760	5.146
9R-HHC	<0.013	746.100	12.435
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	688.020	11.467
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	148.320	2.472
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	N/D	N/D
9R-HHCP	<0.010	N/D	N/D
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

Max Active THC mg/disposable %
603.39 10.06

Total Active Cannabinoids mg/disposable %
4658.61 77.64

Max Active CBD mg/disposable %
N/D N/D

Total Cannabinoids mg/disposable %
4743.24 79.05

NOTES:

Cannabidiol(CBD), Cannabidiolic Acid(CBDA), Cannabigerolic Acid(CBGA), Cannabigerol(CBG), Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV), Tetrahydrocannabivarinic Acid(THCVA), Cannabinol(CBN), Delta-9-Tetrahydrocannabinol(D9-THC), Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC), 9S-Hexahydrocannabinol(9S-HHC), 9R-Hexahydrocannabinol(9R-HHC), 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC), Cannabichromenic Acid(CBCA), Tetrahydrocannabinolic Acid(THCA), Delta-9-Tetrahydrocannabinophenol(D9-THCP), Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO), Tetrahydrocannabihexol (THCH)

Document ID: ATL-225A Revision: 03 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



CERTIFICATE OF ANALYSIS



Customer: Mari MF
 7427 North Carolina Hwy 58,
 Stantonsburg, NC 27883

Batch #: TOR-PUL-D-6.0G-PPP
Laboratory Number: ATL-22237

Report Issue Date: 7/1/2024
Order Date: 6/28/2024
Analysis Date: 7/1/2024

Sample Description:

6G Torch Pulse Live Resin THC-A - Purple Punch Indica

Unit Weight: 6g / Disposable



Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
 Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%	Analyte	LOQ (mg/g)	Results mg/disposable	%	Analyte	LOQ (mg/g)	Results mg/	%
CBDV-A	<0.011	N/D	N/D	9S-HHC	<0.009	309.840	5.164	1S-H4CBD	<0.012	N/D	N/D
CBDV	<0.011	N/D	N/D	9R-HHC	<0.013	748.860	12.481	1R-H4CBD	<0.025	N/D	N/D
CBD-A	<0.008	N/D	N/D	CBC	<0.009	N/D	N/D	D9-THCB	<0.004	N/D	N/D
CBG-A	<0.008	N/D	N/D	CBC-A	<0.005	N/D	N/D	D8-THCB	<0.007	N/D	N/D
CBG	<0.007	N/D	N/D	THC-A	<0.005	683.040	11.384				
CBD	<0.014	N/D	N/D	D9-THCH	<0.006	N/D	N/D				
THCV	<0.008	N/D	N/D	D8-THCH	<0.009	N/D	N/D				
D8-THCV	<0.004	N/D	N/D	D9-THCP	<0.009	147.300	2.455				
THCV-A	<0.005	N/D	N/D	D8-THCP	<0.010	N/D	N/D				
CBN	<0.011	N/D	N/D	D8-THCO	<0.007	N/D	N/D				
D9-THC	<0.014	N/D	N/D	D9-THCO	<0.005	N/D	N/D				
D8-THC	<0.005	2807.520	46.792	9S-HHCP	<0.010	N/D	N/D				
9S-D10-THC	<0.005	N/D	N/D	9R-HHCP	<0.010	N/D	N/D				
9R-D10-THC	<0.002	N/D	N/D	11-OH-D8-THC	<0.005	N/D	N/D				

Max Active THC mg/disposable %
 599.03 9.98

Max Active CBD mg/disposable %
 N/D N/D

Total Active Cannabinoids mg/disposable %
 4612.55 76.88

Total Cannabinoids mg/disposable %
 4696.56 78.28

NOTES:

Cannabidiol(CBD) Cannabidiolol(CBDL) Cannabidiololol(CBDLol) Cannabidiolololol(CBDLolol)
 Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinololol(THCVololol) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
 Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabinophenol(D9-THCP) Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabinhexol (THCH)

Document ID: ATL-225A Revision: 03 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
 N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



CERTIFICATE OF ANALYSIS



Report Issue Date: 7/1/2024

Order Date: 6/28/2024

Analysis Date: 7/1/2024

Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: TOR-PUL-D-6.0G-MGS

Laboratory Number: ATL-22240

Sample Description:

6G Torch Pulse Live Resin THC-A - Mango
Sunrise Hybrid

Unit Weight: 6g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	2910.420	48.507
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	274.200	4.570
9R-HHC	<0.013	713.880	11.898
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	684.900	11.415
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	148.920	2.482
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	N/D	N/D
9R-HHCP	<0.010	N/D	N/D
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

Max Active THC	mg/disposable	%
	600.66	10.01
Max Active CBD	mg/disposable	%
	N/D	N/D

Total Active Cannabinoids	mg/disposable	%
	4648.08	77.47
Total Cannabinoids	mg/disposable	%
	4732.32	78.87

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabinophenol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabinhexol (THCH)



Document ID: ATL-225A Revision: 03 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

CERTIFICATE OF ANALYSIS



Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: TOR-PUL-D-6.0G-SAD
Laboratory Number: ATL-22241

Report Issue Date: 7/1/2024
Order Date: 6/28/2024
Analysis Date: 7/1/2024

Sample Description:

6G Torch Pulse Live Resin THC-A - Sour
Apple Diesel Sativa

Unit Weight: 6g / Disposable



Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	2828.400	47.140
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
9S-HHC	<0.009	291.480	4.858
9R-HHC	<0.013	720.060	12.001
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	672.660	11.211
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	149.820	2.497
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	N/D	N/D
9R-HHCP	<0.010	N/D	N/D
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

Max Active THC	mg/disposable	%
	589.92	9.83

Total Active Cannabinoids	mg/disposable	%
	4579.68	76.33

Max Active CBD	mg/disposable	%
	N/D	N/D

Total Cannabinoids	mg/disposable	%
	4662.42	77.71

NOTES:

Cannabidiol(CBD), Cannabidiolic Acid(CBDA), Cannabigerolic Acid(CBGA), Cannabigerol(CBGA), Cannabidiol(CBD), Tetrahydrocannabinol(THC), Tetrahydrocannabinolic Acid(THCA), Cannabinol(CBN), Delta-9-Tetrahydrocannabinol(D9-THC), Delta-8-Tetrahydrocannabinol(D8-THC), 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC), 9S-Hexahydrocannabinol(9S-HHC), 9R-Hexahydrocannabinol(9R-HHC), 11-Hydroxy-THC (11-OH-D8-THC), Cannabichromene(CBC), Cannabichromenic Acid(CBCA), Tetrahydrocannabinolic Acid(THCA), Delta-9-Tetrahydrocannabinol(D9-THC), Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO), Tetrahydrocannabinolhexol (THCH)

Document ID: ATL-225A Revision: 03 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



CERTIFICATE OF ANALYSIS



Customer: Mari MF
7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: TOR-PUL-D-6.0G-CZM
Laboratory Number: ATL-22242

Report Issue Date: 7/1/2024
Order Date: 6/28/2024
Analysis Date: 7/1/2024

Sample Description:

6G Torch Pulse Live Resin THC-A - Crazy Melon Sativa

Unit Weight: 6g / Disposable



Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%	Analyte	LOQ (mg/g)	Results mg/disposable	%	Analyte	LOQ (mg/g)	Results mg/	%
CBDV-A	<0.011	N/D	N/D	9S-HHC	<0.009	297.780	4.936	1S-H4CBD	<0.012	N/D	N/D
CBDV	<0.011	N/D	N/D	9R-HHC	<0.013	726.420	12.107	1R-H4CBD	<0.025	N/D	N/D
CBD-A	<0.008	N/D	N/D	CBC	<0.009	N/D	N/D	D9-THCB	<0.004	N/D	N/D
CBG-A	<0.008	N/D	N/D	CBC-A	<0.005	N/D	N/D	D8-THCB	<0.007	N/D	N/D
CBG	<0.007	N/D	N/D	THC-A	<0.005	678.120	11.302				
CBD	<0.014	N/D	N/D	D9-THCH	<0.006	N/D	N/D				
THCV	<0.008	N/D	N/D	D8-THCH	<0.009	N/D	N/D				
D8-THCV	<0.004	N/D	N/D	D9-THCP	<0.009	149.280	2.488				
THCV-A	<0.005	N/D	N/D	D8-THCP	<0.010	N/D	N/D				
CBN	<0.011	N/D	N/D	D8-THCO	<0.007	N/D	N/D				
D9-THC	<0.014	N/D	N/D	D9-THCO	<0.005	N/D	N/D				
D8-THC	<0.005	2946.060	49.101	9S-HHCP	<0.010	N/D	N/D				
9S-D10-THC	<0.005	N/D	N/D	9R-HHCP	<0.010	N/D	N/D				
9R-D10-THC	<0.002	N/D	N/D	11-OH-D8-THC	<0.005	N/D	N/D				

Max Active THC mg/disposable %
594.71 9.91

Total Active Cannabinoids mg/disposable %
4714.25 78.57

Max Active CBD mg/disposable %
N/D N/D

Total Cannabinoids mg/disposable %
4797.66 79.96

NOTES:

Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD)
Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromene(CBC) Tetrahydrocannabinol(THC) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
Cannabichromene(CBC) Cannabichromene(CBC) Tetrahydrocannabinol(THC) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) Tetrahydrocannabinol(THC)

Document ID: ATL-225A Revision: 03 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



CERTIFICATE OF ANALYSIS



Mari MF

Customer: 7427 North Carolina Hwy 58,
Stantonsburg, NC 27883

Batch #: TOR-PUL-D-6.0G-TGB

Laboratory Number: ATL-22238

Report Issue Date: 7/1/2024

Order Date: 6/28/2024

Analysis Date: 7/1/2024

Sample Description:

6G Torch Pulse Live Resin THC-A - Tangie Berry Hybrid

Unit Weight: 6g / Disposable



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/disposable	%	Analyte	LOQ (mg/g)	Results mg/disposable	%	Analyte	LOQ (mg/g)	Results mg/	%
CBDV-A	<0.011	N/D	N/D	9S-HHC	<0.009	305.760	5.096	1S-H4CBD	<0.012	N/D	N/D
CBDV	<0.011	N/D	N/D	9R-HHC	<0.013	734.760	12.246	1R-H4CBD	<0.025	N/D	N/D
CBD-A	<0.008	N/D	N/D	CBC	<0.009	N/D	N/D	D9-THCB	<0.004	N/D	N/D
CBG-A	<0.008	N/D	N/D	CBC-A	<0.005	N/D	N/D	D8-THCB	<0.007	N/D	N/D
CBG	<0.007	N/D	N/D	THC-A	<0.005	664.440	11.074				
CBD	<0.014	N/D	N/D	D9-THCH	<0.006	N/D	N/D				
THCV	<0.008	N/D	N/D	D8-THCH	<0.009	N/D	N/D				
D8-THCV	<0.004	N/D	N/D	D9-THCP	<0.009	151.080	2.518				
THCV-A	<0.005	N/D	N/D	D8-THCP	<0.010	N/D	N/D				
CBN	<0.011	N/D	N/D	D8-THCO	<0.007	N/D	N/D				
D9-THC	<0.014	N/D	N/D	D9-THCO	<0.005	N/D	N/D				
D8-THC	<0.005	2805.960	46.766	9S-HHCP	<0.010	N/D	N/D				
9S-D10-THC	<0.005	N/D	N/D	9R-HHCP	<0.010	N/D	N/D				
9R-D10-THC	<0.002	N/D	N/D	11-OH-D8-THC	<0.005	N/D	N/D				

Max Active THC	mg/disposable	%
	582.71	9.71
Max Active CBD	mg/disposable	%
	N/D	N/D

Total Active Cannabinoids	mg/disposable	%
	4580.27	76.34
Total Cannabinoids	mg/disposable	%
	4662.00	77.70

NOTES:

Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD)
 Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC)
 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
 Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabinolhexol (THCH)

Document ID: ATL-225A Revision: 03 Effective Date:10/3/2023
 Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
 The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
 Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
 N/D: Not Detected LOQ: Limit of quantification
 Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

